

GLAZED PORCELAIN TILE — RECTIFIED

CANVĚ

Canvě brings the artistry of handcrafted surfaces into porcelain, blending rich texture, refined colour, and contemporary sophistication.

DIGITAL



CATALOG

Click or Scan
QR Code

COLOUR SCHEMES & PATTERNS


ecotile



Craie



Sable




Argile

Argile & Argile 3D



Craie Tilt Mosaic



All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

AMES TILE & STONE

GLAZED PORCELAIN TILE — RECTIFIED

CANVÈ

ROOM
VISUALIZER

VIEW AMES PRODUCTS IN YOUR SPACE



12 x 12"
Craie Tilt Mosaic
CACRM



12 x 12"
Sable Tilt Mosaic
CASAM



12 x 12"
Argile Tilt Mosaic
CAARM




24 x 24"
Craie
CACR24



24 x 24"
Sable
CASA24



24 x 24"
Argile
CAAR24



12 x 24"
Craie
CACR1224



12 x 24"
Sable
CASA1224



12 x 24"
Argile
CAAR1224



24 x 48"
Craie 3D Trait
CACR3D2448



24 x 48"
Sable 3D Trait
CASA3D2448




24 x 48"
Argile 3D Trait
CAAR3D2448

	12 x 12" Tilt Mosaic			12 x 24"			24 x 24"			24 x 48" 3D Trait		
	Price /sf	Price /pc	Box Qty.	Price /sf	Price /pc	Box Qty.	Price /sf	Price /pc	Box Qty.	Price /sf	Price /pc	Box Qty.
	\$69.95	\$69.95	10 Each	\$11.95	\$23.90	7 Each	\$12.95	\$51.80	3 Each	\$14.51	\$111.60	2 Each
Craie	CACRM			CACR1224			CACR24			CACR3D2448		
Sable	CASAM			CASA1224			CASA24			CASA3D2448		
Argile	CAARM			CAAR1224			CAAR24			CAAR3D2448		

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

GLAZED PORCELAIN TILE — RECTIFIED

CANVÈ

RECOMMENDED APPLICATIONS				TECHNICAL SPECIFICATIONS	
	Shower	Wall	●	V Rating (Variation)	V3 – Moderate Variation
		Floor	●	Thickness	9 mm
	Steam	Wall	●	Faces	12 x 24" Craie, Sable, Argile: 40 Faces 24 x 24" Craie, Sable, Argile: 20 Faces
		Floor	●	Moisture Rating (MR)	Impervious
	Light Commercial	Wall	●	MOHS (Hardness Scale)	≥ 5
		Floor	●	Breaking Strength	S ≥ 2,000 N; R ≥ 45 N/mm ² (24 × 24")
	Medium Commercial	Wall	●	DCOF	Wet ≥ 0.42
		Floor	●	Frost Resistance	Yes
	Heavy Commercial	Wall	●	PEI (Wear Resistance)	Craie: 5, Sable: 4, Argile: N/A
		Floor	● ^A	Country of Origin	Italy
	Residential	Wall	●	Ecotile	Yes
		Floor	●	Recycled Content	–
	Outdoor	Wall	●	^A Heavy Commercial floor in Craie and Sable colours only. Recommended applications do not include consideration of any technical installation requirements or safety standards for slopes and pool decks.	
		Floor			
	Fireplace/ Feature Wall	Wall	●	All tile products and setting materials should be selected and installed in compliance with manufacturers specifications and applicable use standards.	
		Floor	●		
	Pool	Exterior		Product specifications are supplied by the manufacturer and are subject to change without notice. Ames makes no representations or warranties as to the specifications of any product. Prices are subject to change without notice; please contact your Ames Sales Consultant for current prices.	

ROOM
VISUALIZER

VISUALIZE IN YOUR SPACE

Experience this collection in a room setting using our visualizer.

VIEW AMES PRODUCTS IN YOUR SPACE

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.