GLAZED PORCELAIN TILE

MICARE

Micare reimagines retro ceramic character through luminous gloss, rich tonal depth and harmonious colour, creating expressive surfaces with a refined contemporary edge.

DIGITAL CATALOG

Click or Scan QR Code

COLOUR SCHEMES & PATTERNS

ecotile

Linen

Light | Medium | Dark | Canale Dark | Rim Dark

Alpi



Light | Medium | Dark | Canale Dark | Rim Dark | Saffron Dark

Ambar

Light | Medium | Dark | Canale Dark | Rim Dark

Evergreen



Light | Medium | Dark | Canale Dark | Rim Dark | Midnight Dark

Alpi Light, Medium, Dark and Rim Dark.

Ambar | Dark, Canale Dark and Rim Dark,

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

AMES TILE & STONE

GLAZED PORCELAIN TILE

MICARE

2 x 6"
Linen Light
MILNL26

2 x 6"
Linen
Medium
MILNM26

2 x 6"
Linen Dark
MILND26

2 x 6"
Alpi Light
MIAPL26

2 x 6"
Alpi
Medium
MIAPM26

2 x 6"
Alpi Dark
MIAPD26

2 x 6"
Ambar
Light
MIAML26

2 x 6"
Ambar
Medium
MIAMM26

2 x 6"
Ambar Dark
MIAMD26

2 x 6"
Linen
Canale Dark
MICLD26

2 x 6"
Linen
Rim Dark
MIRLND26

2 x 6"
Alpi
Canale Dark
MICAPD26

2 x 6"
Alpi
Rim Dark
MIRAPD26

2 x 6"
Ambar
Canale Dark
MICAMD26

2 x 6"
Ambar
Rim Dark
MIRAMD26

2 x 6"
Evergreen
Light
MIEGL26

2 x 6"
Evergreen
Medium
MIEGM26

2 x 6"
Evergreen
Dark
MIEGD26

2 x 6"
Evergreen
Canale Dark
MICEGD26

2 x 6"
Evergreen
Rim Dark
MIREGD26

2 x 6"
Saffron Dark
MISFD26

2 x 6"
Midnight Dark
MIMND26

	2 x 6" Light	2 x 6" Medium	2 x 6" Dark	2 x 6" Canale Dark	2 x 6" Rim Dark
Price /sf	$21.96			$23.92	
Price /pc	$1.68			$1.83	
Box Qty.	78 Each			78 Each	72 Each
Linen	MILNL26	MILNM26	MILND26	MICLD26	MIRLND26
Alpi	MIAPL26	MIAPM26	MIAPD26	MICAPD26	MIRAPD26
Ambar	MIAML26	MIAMM26	MIAMD26	MICAMD26	MIRAMD26
Evergreen	MIEGL26	MIEGM26	MIEGD26	MICEGD26	MIREGD26
Saffron			MISFD26		
Midnight			MIMND26		

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

AMES TILE & STONE

GLAZED PORCELAIN TILE

MICARE

RECOMMENDED APPLICATIONS

	Wall	Floor
Shower	●	
Steam	●	
Residential	●	● [A]
Fireplace/ Feature Wall	●	

	Wall	Floor
Light Commercial	●	
Medium Commercial	●	
Heavy Commercial	●	
Outdoor	●	
Pool		

TECHNICAL SPECIFICATIONS

V Rating (Variation)	V1 – Uniform Appearance
Thickness	8.5 mm
Breaking Strength	> 35 N /mm^2, > 1300 N
PEI (Wear Resistance)	3
Ecotile	Yes

Number of Faces	1
DCOF	—
Moisture Rating (MR)	MR1 — Impervious
Frost Resistance	Yes
Country of Origin	Spain
Recycled Content	61 % Pre-consumer

[A] Only Linen colour suitable for Residential Floors.

SPACERS: Due to the nature of the material, there may be dimensional variations between pieces. For optimal results, please use 1.5 mm (0.06") spacers.

GROUTING: The choice of using a quality grout is crucial. We recommend Custom Building Products Prism SCG.

MAINTENANCE & CLEANING: As a general guideline, powder detergents should not be used, nor wire wool or abrasive materials. Generally, a sponge will be sufficient with warm water and liquid neutral soap. Then rinse.

Recommended applications do not include consideration of any technical installation requirements or safety standards for slopes and pool decks.

All tile products and setting materials should be selected and installed in compliance with manufacturers specifications and applicable use standards.

Product specifications are supplied by the manufacturer and are subject to change without notice. Ames makes no representations or warranties as to the specifications of any product. Prices are subject to change without notice; please contact your Ames Sales Consultant for current prices.

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.