GLAZED MATTE CERAMIC WALL TILE

VISION

Vision pairs the sculptural elegance of Veil 3D with the geometric precision of Cube 3D, bringing depth and architectural character to contemporary spaces.

DIGITAL CATALOG

Click or Scan QR Code

COLOUR SCHEMES & PATTERNS

ecotile



Glow
Veil 3D Décor
Coming Soon



Glow
Cube 3D Décor



Camel
Veil 3D Décor



Camel
Cube 3D Décor

FEATURE WALLS: Camel 3D Cube Décor & Glow.
FLOOR: Camel



FEATURE WALL: Glow 3D Veil Décor.



All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

AMES TILE & STONE

GLAZED MATTE CERAMIC WALL TILE

VISION

16 x 32”
Glow Veil
3D Décor
VNGL1632
Coming Soon



20 x 48”
Glow Cube
3D Décor
VNCGL2048



16 x 32”
Camel Veil
3D Décor
VNCM1632




20 x 48”
Camel Cube
3D Décor
VNCCM2048

NOTE: To achieve a seamless look on your wall, please use these suggested grout colours: Snow White with Camel and Arctic White with Glow.

	16 x 32″ Veil 3D Décor	**20 x 48″** Cube 3D Décor
Price /sf	$14.93	$16.96
Price /pc	$51.49	$109.45
Box Qty.	4 Each	3 Each
Glow	VNGL1632 *Coming Soon*	VNCGL2048
Camel	VNCM1632	VNCCM2048

WALL: Glow, Brass and Camel 3D Cube Décor
FLOOR: Camel



WALL: Camel Cube 3D Décor
FLOOR: Ash



All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.

AMES TILE & STONE

GLAZED MATTE CERAMIC WALL TILE

VISION

RECOMMENDED APPLICATIONS

	Wall	Floor
Shower		
Steam		
Residential	●	
Fireplace/ Feature Wall	●	

	Wall	Floor
Light Commercial	●	
Medium Commercial	●	
Heavy Commercial	●	
Outdoor		
Pool Exterior & Interior		

TECHNICAL SPECIFICATIONS

Thickness	10 mm
Breaking Strength	> 600 N
V Rating (Variation)	V2 — Slight Variation
Stain Resistance (ISO 10545-14)	Class 5
Number of Faces	Veil 3D Decor & Cube 3D Decor: 20 Faces
Moisture Rating (MR)	MR2 – Non-Vitreous
Frost Resistance	No
Country of Origin	Italy
EcoTile & Recycled Content	Yes; 20%

SPECIAL GROUT NOTE: To achieve a seamless look, match the grout colour to the tiles and use a 1–2 mm grout joint.

Recommended applications do not include consideration of any technical installation requirements or safety standards for slopes and pool decks.

All tile products and setting materials should be selected and installed in compliance with manufacturers specifications and applicable use standards.

Product specifications are supplied by the manufacturer and are subject to change without notice. Ames makes no representations or warranties as to the specifications of any product. Prices are subject to change without notice; please contact your Ames Sales Consultant for current prices.

All images are for reference only and may not match physical product exactly. Shading and variation is inherent in ceramics and natural stone. Please inspect all products before installing, no claims accepted after installation.